

# SPEC SHEET + MEASUREMENTS



OGIO® Foam Trucker. OG605

## Product photo




- 86/14 poly/spandex front panels
- 100% poly spacer mesh mid and back panels
- Lightly structured
- Mid-profile
- Slightly curved bill
- Translucent black silicone O tab
- 7-position adjustable snapback closure

## Sketches



front



back

# SPEC SHEET + MEASUREMENTS



OGIO® Foam Trucker. OG605

## PRODUCT MEASUREMENTS

OSFA	
Crown Height	6 3/4
Width of Front Panel(s)	7 3/4
Bill/Visor Length	2 3/4

**Crown Height:** Measure from middle of button at top, to brim seam along center front.

**Width of Front Panel(s):** Measure from side seam to side seam along bottom of crown (where bill meets crown along seam).

**Bill/Visor Length:** Measure from outside edge of bill to crown seam at center front.

## SIZE CHARTS

OSFA	
Hat Size	6 5/8- 8
Head Size	20 7/8- 25 1/8

# SPEC SHEET + MEASUREMENTS



OGIO® Foam Trucker. OG605

## HOW TO MEASURE

---

### HATS

Measure the circumference around the head, above the eyebrow and at the widest part of the head.  
Divide number by 3.14 for hat size.

## COLORS

---

Please note: PMS code information is shown only when an exact match is available.



Blacktop/  
Blacktop  
PMS BLACK  
C



Gear Grey/  
Blacktop  
PMS 7540C



River Blue  
Navy/ River  
Blue Navy  
PMS 533C